COMPOSITION: Each tablet contains: L-Carnitine -L-Tartrate 1000 mg, Coenzyme Q 10-60 mg Zinc Oxide (As elemental Zinc) IP-12.5 mg, Lycopene 2500mcg Excipients, g.s., DESCRIPTION: Ferbill-M contains antioxidants such as L-Carnitine -L-Tartrate, Coenzyme Q 10, Zinc Oxide, Lycopene, THERAPEUTIC INDICATIONS; Dietary adjuvant in adult male for treatment of idiopathic oligoasthenoteratozoospermia (iOAT), DOSAGE AND ADMINISTRATION: One tablet, two times a day orally as a nutritional supplement or as recommended by physician CONTRAINDICATIONS. Individuals known to be hypersensitive to any of the components of the formulation & patients with renal disease and having history of seizures. WARNINGS AND PRECAUTIONS: Pregnancy & Lactation: Not recommended in pregnancy & lactation as per advice by physician DRUG INTERACTIONS: L-carnitine - Can interact with Acenocoumarol, Warfarin and Thyroid hormones. Coenzyme Q10- Can interact with

FFRPII I -M

antihypertensive medications like captopril, Enalapril, Losartan, Valsartan, Amlodipine, hydrochlorothiazide furosemide etc. and anticoagulants like warfarin Zinc- Can interact with antibiotics like quinolones,

tetracyclines. Lycopene- Can interact with anticoagulants. ADVERSE REACTIONS: All ingredients are well tolerated. Mild side effects such as gastrointestinal upset, including diarrhea, nausea, heartburn, and anorexia may occur. (For details, please refer full prescribing information) (For the use of a registered medical practitioner or hospital or laboratory only)