COMPOSITION: Each 5g sachet contains Myo-Inositol 2gm. D-chiroinositol 50 mg. Vitamin D3 1000 IU DESCRIPTION: Suresitol contains inositol (myoinositols and D chiroinositol) which improve the way the body uses insulin and promotes normal hormone levels, which in turn promote regular menstrual cycles and normal ovarian function. Vitamin D prevents and treat vitamin D de ciency Suresitol modules pathophysiological factors involved in PCOS such as insulin resistance, vitamin D deficiency and oxidative stress. THERAPEUTIC INDICATIONS: For treatment of PCOS in women. DOSAGE AND ADMINISTRATION: One sachet once or twice daily for 3 -6 months or as directed by physician. CONTRAINDICATIONS: Individuals known to be hypersensitive to any of the components of the formulation. WARNINGS AND PRECAUTIONS: Pregnancy & Lactation: Not recommended in pregnancy & lactation. DRUG INTERACTIONS: Aluminium containing antacids: Vitamin D increases absorption of aluminium.

Thiazide diuretics: Can lead to hypercalcemia. Digoxin interacts with vitamin D. Increasing gastric pH as in chronic use of antacids, H2- blockers, or proton pump inhibitors may reduce the absorption of

Suresital

chromium. ADVERSE REACTIONS: All ingredients are well tolerated. Mild side ejects such as gastrointestinal upset, including diarrhoea, nausea, heartburn, and anorexia may occur. (For the use of a registered medical practitioner or hospital or laboratory only)